# HDSET



## warehouse program UNITY LIGHT new classic & contemporary

#### CONTENT

About the UNITY LIGHT warehouse program	4
The main advantages of UNITY LIGHT doors	5
Model range "NEW CLASSIC LIGHT"	6
Model range "CONTEMPORARY LIGHT"	20
UNITY LIGHT skirting board	27
Basic equipment	28
Typical sizes	29
Price list (warehouse program, skirting board, extender)	30
Price list of UNITY LIGHT doors to order	31
Example of calculating UNITY LIGHT doors to order	31

# Perfect door for family comfort

ET GROUP offers you a new product - the UNITY LIGHT warehouse door program, which combines the New Classic and Contemporary collections, which are loved by designers and architects. Our leading experts have developed universal and most popular models. Thanks to the design, divided into modern and neoclassical lines, and basic white coloring, UNITY LIGHT doors can decorate interiors made in classic, neoclassical, Scandinavian, minimalist and modern styles.

Affordable price, basic equipment with telescopic box and trim, as well as premium materials make the the UNITY LIGHT collection a very profitable and desirable offer. A distinctive feature of the collection is the **fast delivery** of doors from the moment of ordering.



### The main advantages of the UNITY LIGHT collection



The front platbands are flush with the door leaf, which makes the door look more elegant, without unnecessary recesses and adds integrity to the design.




#### +TELESCOPIC BOX

The standard door unit is equipped with a telescopic frame and rear trim as standard, which allow mounting doors with wall thicknesses in the most common range of 100-125 mm. If the wall thickness is more than 125 mm, an extension is used.



#### +ITALIAN FITTINGS

The door unit is equipped with a reliable magnetic lock and hidden curtains made in Italy.



#### + WATER-BASED PAINTS

We use high-quality, environmentally friendly paints and waterbased primers from the European manufacturer AKZONOBEL to paint the doors. After applying a special polymer primer, the doors are painted in 2 layers for a more reliable coating.



#### + MOISTURE-RESISTANT MDF AND SOLID WOOD


The door frame, platbands and door leaf are made of a combination of solid wood and moisture-resistant MDF. We also offer a skirting board made of moisture-resistant MDF.





1. The door is painted in a white base color.






















NC LIGHT 3.1

NC LIGHT 3.2

NC LIGHT 3.3

1. The door is painted in a white base color.










1. The door is painted in a white base color.






NC LIGHT 5.1

NC LIGHT 5.2



1. The door is painted in a white base color.






NC LIGHT 6.1

NC LIGHT 6.2



1. The door is painted in a white base color.





1. The door is painted in a white base color. 2. You can choose from white, black or gray fittings. 3. Standard door sizes are 800x2000 mm, 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.

4. Attention: NC LIGHT 7.1 and NC LIGHT 7.2 models are not available in the size 600x2000 mm.

5. Additionally, a telescopic extension is available in 4 sizes.






NC LIGHT 8.1

NC LIGHT 8.2



1. The door is painted in a white base color.












1. The door is painted in a white base color.






NC LIGHT 10.1

NC LIGHT 10.2

1. The door is painted in a white base color.





NC LIGHT 11.1

NC LIGHT 11.2



1. The door is painted in a white base color.





NC LIGHT 12.1

NC LIGHT 12.2





1. The door is painted in a white base color.






# Milling types of the CONTEMPORARY LIGHT line






- · CON LIGHT 1
- $\cdot$  CON LIGHT 2
- $\cdot$  CON LIGHT 3





· CON LIGHT 4

- CON LIGHT 5
- CON LIGHT 6
- · CON LIGHT 7
- · CON LIGHT 8



It is used in models: • CON LIGHT 9





CON LIGHT 2



1. The door is painted in a white base color.






CON LIGHT 4





1. The door is painted in a white base color.













1. The door is painted in a white base color.

2. You can choose from white, black or gray fittings.

The aluminum frame of the leaf is only black, supplied with black fittings (hinges and lock).
 Standard door sizes 800x2000 mm, 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.

5. Additionally, a telescopic extender can be purchased in 4 sizes.

#### SKIRTING BOARD






skirting board MILLED

- The baseboard is painted in a white base color, including the ends on both sides.
  The length of the plank is 2050 mm, height 80 mm, thickness 12 mm.
  Made of moisture resistant material.
  Supplied complete with a mounting plate.

#### BASIC EQUIPMENT




1. The door is painted in a white base color.

You can choose from white, black or gray hardware. The seal is white.
 Standard door sizes are 800x2000 mm, 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.

#### WITHOUT AN EXTENDER





CANVAS	вох	MINIMUM OPENING	MAXIMUM OPENING	LIGHT HOLE
HxL	(H+41)x(L+62)	(H+51)x(L+82)	(H+71)x(L+122)	(H+1)x(L-18)
2000x600	2041x662	2051x682	2071x722	2001x582
2000x700	2041x762	2051x782	2071x822	2001x682
2000x800	2041x862	2051x882	2071x922	2001x782

